IN THE CLAIMS:

Please amend claims as follows.

- 1. (currently amended)

 A preservation Preservation medium for living organs, biological tissues, and cells containing a liquid nutritive base, wherein the preservation medium [[it]] contains all of the following components: a high-molecular-weight hyaluronic acid, [[and]] sodium chloride, trace elements, amino acids, vitamins, and a stabilizing pH buffer and wherein it contains no component of animal origin.
- 2. (currently amended) The preservation Preservation medium according to claim 1 wherein it contains:
 - from 80 to 4,000 mg/l, preferably 100 to 200 mg/l, preferentially 100 to 160 mg/l of high-molecular-weight hyaluronic acid, and
 - from 4,500 to 9,000 mg/l, preferably from 5,500 to 9,000 mg/l, preferentially 7,000 mg/l of sodium chloride.
- 3. (currently amended) The preservation Preservation medium according to claim 1, wherein [[it]] the preservation medium contains, in addition, poloxamer 188.
- 4. (currently amended) The preservation Preservation medium according to claim 3, wherein [[it]] the preservation medium contains from 200 to 75,000 mg/l₇ preferably from 450 to 50,000 mg/l of poloxamer 188.

- 5. (currently amended) <u>The preservation Preservation</u> medium according to claim 1 wherein [[it]] <u>the preservation medium</u> contains, in addition, methyl cellulose.
- 6. (currently amended) The preservation Preservation medium according to claim 5, wherein [[it]] the preservation medium contains from 210 to 5,000 mg/l; preferably from 1,900 to 2,500 mg/l and preferentially 2,205 mg/l of methyl cellulose.
- 7. (currently amended) The preservation Preservation medium according to claim 1, wherein [[it]] the preservation medium presents an osmolarity from 300 to $465 \text{ mOsm} \pm 40 \text{ mOsm}$.
- 8. (currently amended) The preservation Preservation medium according to claim 1, wherein [[it]] the preservation medium presents a Brookfield viscosity at 20 °C in the range between 1 and 15 centipoises, preferably between 2.5 and 10 centipoises.
- 9. canceled
- 10. (currently amended) The preservation Preservation medium according to claim 1, wherein [[it]] the preservation medium does not contain dextran.
- 11. (withdrawn) Use of a preservation medium according to claim 1 for the preservation of living human corneas.

- 12. (withdrawn) Use of a preservation medium according to claim 1 for organ culture of living organs, biological tissues, and cells, in particular of living human corneas.
- 13. (withdrawn) Use of a preservation medium according to claim 1 for the transport of living organs, biological tissues, and cells, in particular of living human corneas.
- 14. (withdrawn) Use of a preservation medium according to claim 1 for the deturgescence of living organs, biological tissues, and cells, in particular of living human corneas
- 15. (new) The preservation medium according to claim 1 wherein the preservation medium further contains from 1 to 50 mg/l chondroitin sulfate, from 0.1 to 25 mg/l of heparin sulfate, from 500 to 2,000 mg/l of alginic acid, and from 1,000 to 10,000 mg/l of hetastarch.
- 16. (new) The preservation medium according to claim 4, wherein the poloxamer 188 ranges from 450 to 50,000 mg/l of poloxamer 188.

- 17. (new) The preservation medium according to claim 6, wherein the cellulose ranges from 1,900 to 2,500 mg/l.
- 18. (new) The preservation medium according to claim 17, wherein the cellulose is 2,205 mg/l.
- 19. (new) The preservation medium according to claim 8, wherein the Brookfield viscosity ranges between 2.5 and 10 centipoises.
- 20. (new) The preservation medium according to claim 2 wherein the preservation medium contains from 100 to 200 mg/l of high-molecular-weight hyaluronic acid and from 5,500 to 9,000 mg/l of sodium chloride.
- 21. (new) The preservation medium according to claim 20 wherein the preservation medium contains from 100 to 160 mg/l of high-molecular-weight hyaluronic acid and 7,000 mg/l of sodium chloride.